


**TOTO**  
COLLECTIONS



**TOTO**

## CONTENTS

ABOUT TOTO	02
TOTO HISTORY	03
TOTO DESIGN·AWARD	04
TECHNOLOGY	06
NEOREST	20
RENESSE	39
WASHLET™	40
TOILET	44
LAVATORY	46
FITTINGS	51
BATHTUB	58
ACCESSORY	62
PUBLIC	64



# TOTO

1917년 설립된 TOTO는 일본 최초의 위생도기 제조업체이며, 설립 이후 많은 혁신적인 기술들을 개발해 오고 있습니다. TOTO는 앞으로도 위생도기 업계의 선구자라는 마음으로, 사용자의 편의를 위해 지속적인 연구개발에 정진하겠습니다.

IMPROVING PEOPLE'S LIVES

**1917** 일본 Kokura, Kitakyushu에 TOYO TOKI CO. LTD라는 사명으로 설립되었고, 후에 TOTO LTD로 사명이 변경되었습니다.

**1980** 새로운 수준의 청결함과 편안함을 제공하는 WASHLET™(비데)을 런칭 하였습니다.

**1993** 양변기와 WASHLET™가 합쳐진 일체형 양변기 NEOREST를 런칭 하였습니다. NEOREST는 TOTO의 종합적이고 혁신적인 기술을 반영하여 욕실 청결을 최대한 실현하였습니다.

**2008** TOTO 유니버설 디자인 연구센터를 설립하여 고객과의 폭넓은 대화와 피드백이 제품에 반영될 수 있도록 하였습니다.

**2010** 한 번의 물내림에 오직 4.8L의 물을 사용하는 TOTO Neorest Hybrid 시리즈를 런칭하였습니다. 또한, 독일 프랑크푸르트에서 열린 국제 위생 및 난방 무역 전시회에서 이를 새로운 글로벌 표준으로 하고자 하는 표부를 밝혔습니다. NEOREST 시리즈의 출하량이 100만대에 도달했습니다.

**2015** 전 세계적으로 TOTO WASHLET™ 4,000만대 판매를 돌파하였습니다.

**2017** 창립 100주년

# OUR DESIGN PHILOSOPHY

TOTO는 모든 디자인 조건과 사용자의 니즈(Needs)를 충족시키는 다양한 상품을 생산합니다.

실용적이며 아름다운 TOTO의 디자인은 어느 공간에서나 조화를 이룹니다.

우리의 디자인 원칙은 깨끗하고 편안하며, 환경친화적인 상품을 창조하는데 있습니다.

CLEAN

TOTO의 청결함을 추구하는 기술은 높은 수준의 위생과 휴식을 제공합니다.  
TOTO의 “클린 테크놀로지”는 단순한 위생을 넘어 전 연령층의 사용자에게  
편안함과 즐거움을 선사합니다. 이 기술은 사용자의 만족을 증가시키며 화장실을  
관리하는 시간을 줄여줍니다.

GREEN

TOTO의 친환경 기술은 에너지와 물 절약을 장려하는 지속 가능한 기능을 실현합니다.  
TOTO의 친환경 기술에는 세척을 위해 화학물질을 거의 사용하지 않거나 공기 중 오염  
물질을 분해하는 기술 등이 있습니다. 당신이 TOTO의 화장실을 사용할 때마다 지구는  
이러한 혜택을 받을 수 있습니다.

COMFORT

TOTO는 세련된 디자인을 지닌 상품에 “클린 테크놀로지”의 편안함을 더했습니다.  
TOTO의 디자인 철학은 단지 눈으로 보는 편안함을 뛰어넘어 모든 상품을 손쉽게 사용  
하고, 사용자에게 만족과 편안함을 가져다 주는 것 입니다.

# OUR AWARD WINNING PRODUCTS



1955년 독일의 Design Zentrum Nordrhein Westfalen에 의해 창립된 국제적인 “Reddot Design Award”는 세계에서 가장 크고 잘 알려진 디자인 상이며, 60개 이상의 국가로부터 12,000개가 넘는 후보를 받습니다. 이 상을 받은 상품은 Reddot Design 박물관에 전시되어 세계인의 눈앞에 선보여집니다.



1953년 시작된 이래로 iF 디자인 상은 뛰어난 디자인을 상징하는 지표였습니다.  
iF 산업디자인 상은 산업 디자인의 모든 분야를 포함합니다.  
이 상은 디자인과 관련된 혁신의 플랫폼역할을 하며 국가간 교류를 장려합니다.



Green Good Design상은 Chicago Athenaeum에 의해 매년 수여됩니다.  
이 상은 The European Centre for Architecture Art Design and Urban Studies, Museum of Architecture and Design과 함께 더 나은 인간의 삶과 환경을 위한  
환경 친화적 디자인, 환경 혁신, 환경보호, 환경 친화적 기술, 재생 에너지,  
지속 가능성은 아우르는 새로운 디자인을 가리키는 지표입니다.



# TOTO TECHNOLOGIES



## WASHLET™

An individually adjustable wand system with self-cleaning function



## EWATER+

Electrolysed antibacterial water that breaks down waste



## WATER-SAVING

Technologies that save water



## TORNADO FLUSH

Revolutionary triple-jet flushing system



## RIMLESS DESIGN

Seamless easy-clean bowl design



## CEFIONTECT

Special hygienic glaze for a smooth ceramic surface




## AUTO FUNCTIONS

Sensor-controlled technologies activated by human movement



## LUMINIST

Translucent epoxy resin material



## AERIAL SHOWER

Aerated water for the shower



## AERIAL PULSE

Aerated water with a pulsating function



## WATER PILLAR

Light yet voluminous stream of water



## GYROSTREAM

Shower jets with rotating and pulsating functions



## CASCADE FLOW

Waterfall-like shower function that warms the entire body



## ECOCAP

Fuller aerated water stream



## SELF POWER

Sensor-activated faucet generates its own electricity




## SMA

Maintains a constant water temperature despite fluctuating water supply temperatures and pressure levers



## SANITIZING FEATURES

TOTO의 특별한 [위생처리 기능]은 화장실이 깨끗하게 유지될 수 있도록 도와줍니다.  
청결 사이클은 소독, 살균, 탈취를 통해 욕실의 위생을 강화합니다.



## TOILET TROUBLES?

1

### TOILET BOWL HYGIENE

화장실을 사용하고 난 뒤 토네이도 세정으로 도기의 모든 오물과 세균을 흘려 보냅니다. 뒤이어 EWATER+를 도기부에 분사하여 확실하게 이물질이 남지 않도록 합니다.

2

### NOZZLE HYGIENE

노즐을 깨끗한 상태를 유지하여 다음 사용자가 WASHLET를 편안하게 사용 할 수 있도록 합니다.  
수돗물과 EWATER+로 노즐을 사용 전, 후 자동으로 세척합니다.

3

### ODOUR

화장실에 악취가 없도록 합니다.  
TOTO의 탈취기는 사용 전, 후의 모든 악취를 걸러냅니다.  
다음 사용자를 위해 깨끗하고 냄새 없는 화장실을 유지시켜줍니다.

## TOTO NEW ENHANCED HYGIENE FEATURE



ELIMINATING  
OF BACTERIA **99.9%**  
THAT CAN BE FOUND ON  
THE TOILET BOWL.

E-WATER는 도기 표면이 세균으로 오염되는 것을 막아주는 제균 액체입니다. 물을 내린 후 도기에 자동으로 분사되며, 99.9%의 세균을 제거하고 사용한 비데 노즐을 소독합니다.

### THE PURIFICATION CYCLE




PRE-MIST(일반 수돗물) 이 변기 내부에  
분사됩니다.

노즐이 물로 세척됩니다.

노즐과 변기가 EWATER+로 세척됩니다.

8시간 동안 사용하지 않으면 EWATER+가  
자동으로 분사됩니다.

### MECHANISM



수돗물이 변기 내부를 통과하면서 전기분해 됩니다.



수돗물에 포함되어있는 염화이온이 전기분해를 통해  
자연스럽게 EWATER+의 유효성분인 차아염소산으로 변화됩니다.  
전기분해를 통해 생성된 차아염소산은 즉시 오염된 도기 표면을  
살균합니다.



EWATER+는 두시간 후에 보통의 물로 돌아가기 때문에, 욕실 세제를  
대신할 친환경적인 대안입니다.




# WASHLET™

TOTO의 최초, 최고의 창조를 상징하는 WASHLET™은 1980년도 초 일본에서 처음 선보여 세계를 놀라게 했고, 그 이후로 계속 발전해 왔습니다.

자가살균과 탈취 등 지속적인 기술의 개발을 통해 편안함과 만족스러운 사용감을 제공합니다.

## 다양한 분사 패턴



세정  
강력한 수압



비데  
SPOTTED 수압




소프트세정  
부드러운 수압



와이드비데  
가볍고 넓은 범위의 수압

## WONDERWAVE CLEANSING



Conventional  
Cleansing



Wonderwave  
Cleansing

이 기술은 적은 양의 물로 강한 세정효과를 얻기 위해 물 입자를 빠른 속도로 분사합니다. 큰 물방울과 작은 물방울이 번갈아 가면서 분사되어 풍부한 느낌을 주면서도 효율적이고 친환경적입니다.



## OTHER WASHLET™ FEATURES



Oscillating  
Spray Nozzle



Air Purifier  
(Deodoriser)



Air Dryer



Seat Warmer



Easy remove  
for cleaning



Auto open  
and close



## HYBRID ECOLOGY SYSTEM

이 특별한 기술은 수도 배관에서 직수로 나오는 물과 양변기 내부 탱크에서 나오는 두 개의 물을 결합시켜 배수하는 기술로, 보통의 절수양변기와는 비교되는 뛰어난 절수력을 가진 기술입니다.



## AUTO FUNCTIONS

좋은 욕실은 일상의 스트레스를 해소할 수 있는 편안함을 제공하는 개인적인 공간입니다. Auto function은 단순히 사용자가 쉽고 편리하게 사용할 수 있게 할 뿐만 아니라, 사용자가 양변기를 직접 조작할 필요가 없도록 만들어주어, 일반 양변기에 비해 청소빈도는 줄이면서 청결함은 높여줍니다.

## TOILET TECHNOLOGIES

### TORNADO FLUSH

토네이도 배수는 TOTO 양변기의 대표적인 특징입니다. 변기 배수의 새로운 방법으로, 양변기 림에 있는 홀에서 물이 흘러 내려오는 기존의 배수방법 대신, 토네이도 배수는 세 개의 높은 압력의 물로 소용돌이와 같은 토네이도를 생성하여 이물질을 흘려 보내기 때문에 조용하며 절수 효과가 있습니다.

Regular Flushing

Tornado Flushing

### RIMLESS DESIGN

림이 없는 디자인은 오물과 세균이 자리잡을만한 공간을 제거합니다. 일반 변기보다 틈새가 많지 않아 적은 세정제로도 변기 내부 전체를 쉽게 청소할 수 있기 때문에 편리하며 친환경적입니다.

Regular Rim

Rimless Design

### CEFIONTECT

CeFiONtect는 도기 제품에 특수 유약 처리된 것으로, 도기 표면을 미세한 정도로 아주 부드럽게 하여 이물질이 쉽게 흘러 내려가도록 합니다. 사용하면서 도기 표면이 마모되어 윤통불통하게 되면서 세균이 번식하는 것을 막아줍니다. CeFiONtect 유약은 도기를 굽기 전에 바르기 때문에 강하고 지속력이 좋습니다.

Conventional Toilet

CeFiONtect Toilet

12

13

# SHOWER TECHNOLOGIES

Turn your daily routine into an everyday luxury.

Redefining comfort for your everyday life.

“사용자의 경험을 반영한 기술, 그래서 **TOTO**를 선택합니다.”

## 매일 매 순간 중요한 기술

아름답고 편안한 일상을 위해 TOTO는 다양하고 혁신적인 기술들을 개발하고 있습니다.



### WARM SPA



몸을 감싸는 새로운 방식의 샤워가 사용자의 몸을 효과적으로 데워줍니다.



### COMFORT WAVE



굵은 물줄기와 일반 물줄기의 혼합을 통해 적절한 자극으로 샤워를 즐기실 수 있습니다.



### ACTIVE WAVE



굵은 물줄기로 마사지효과를 극대화 시킨 샤워를 즐기실 수 있습니다.



### HEAT PROTECT



수전의 표면이 뜨거워지지 않아 안전하게 사용할 수 있습니다.



### SAFETY THERMO



갑작스러운 수온 변화를 막기 위하여 기존 제품보다 6배 빠르게 온도 변화에 반응합니다.



### MINI UNIT



매립수전의 매립부 사이즈를 통일화 함으로써 시공성과 호환성을 향상했습니다.



### COMFORT GLIDE



수전 손잡이가 부드럽게 조절됩니다. 오래 사용해도 변함없는 부드러운 사용감을 느낄 수 있습니다.

# WARM SPA


## A brand new shower system.

샤워기 아래에 서있지만 마치 따뜻한 욕조에 들어가 있는 듯한 느낌을 받는 것. 이것이 WARM SPA입니다. 따뜻한 한 줄기의 물이 샤워헤드에서부터 조용히 흘러나오고, 이 물줄기가 몸에 닿으면 물방울이 외부로 튀지 않으면서 몸의 곡선을 따라 흘러 몸을 감싸줍니다. 몸을 효과적으로 따뜻하게 함으로써 완전히 새로운 샤워를 경험 하실 수 있습니다.



### Control the water's flow.

더 부드러운 샤워를 할 수 있도록 물의 흐름을 조절하는 특수설계를 했습니다.




### Keep heat. Be warmer.

부드럽게 흐르는 물줄기가 열의 손실을 줄여줍니다. 물이 사용자의 몸을 감싸면서 몸을 빠르게 데워줍니다. 이 기능은 기존의 샤워헤드뿐만 아니라 핸드샤워에도 적용되고 있습니다.

### That quality – only TOTO

샤워를 할 때 사용자의 몸이 어떻게 따뜻해 지는지를 보여주는 이미지입니다. 빨간 부분은 몸의 따뜻한 부분을 나타내는데 기존의 샤워와 비교해서 WARM SPA가 몸을 더 효과적으로 데워주는 것을 분명하게 보여 줍니다.



# COMFORT WAVE



# ACTIVE WAVE



### 보다 쾌적한 샤워를 위해 새롭게 개발된 노즐

우리는 기존의 샤워 노즐보다 더 큰 물방울을 만드는 샤워 노즐을 개발했습니다. 굵은 물줄기는 힘있게 움직이면서 물을 절약하는 동시에 사용자에게 적당한 자극을 줍니다. 적당한 자극의 COMFORT WAVE를 통해 상쾌함을 느끼고 ACTIVE WAVE의 마사지 효과를 통해 활력을 느껴보세요.


### COMFORT WAVE



COMFORT WAVE는 굵은 물줄기가 나오는 새로운 노즐을 사용하여, 적당한 자극을 통해 쾌적한 느낌을 줍니다.

### That quality – only TOTO

물의 침투성을 보여주는 이미지입니다. 기존의 샤워기 물방울은 머리카락에서 훑겨 나가는 반면, COMFORT WAVE의 굵은 물방울은 튀지 않고 두피를 적셔줍니다.




### ACTIVE WAVE



ACTIVE WAVE는 강한 물줄기가 나오는 새롭게 개발된 샤워 노즐을 사용함으로써 COMFORT WAVE보다 더 상쾌하고 자극을 극대화시킨 샤워를 가능하게 합니다.

### That quality – only TOTO

샤워의 수압을 비교하는 이미지입니다. ACTIVE WAVE는 보통의 마사지 샤워기보다 더 강한 수압을 가지고 있음을 확인 할 수 있습니다.





## HEAT PROTECT

### 안전과 아름다움이 하나가 되는 욕실을 경험하세요.

뜨거운 물을 사용하면 수전의 표면 역시 뜨거워 집니다.  
TOTO는 이에 대한 해결책을 디자인에서 발견했습니다.  
온수가 흐르는 배관을 냉수층이 감싸는 디자인으로 만들어,  
제품을 무심코 만졌을 때 발생할 수 있는 화상의 위험을  
예방합니다.


### 업계 최고의 소형화를 통해 세련된 스타일을 구현 하였습니다.

최고의 단열성을 갖추면서 업계에서 가장 작은 사이즈인 직경  
45mm를 구현하였습니다.



#### That quality – only TOTO

온수를 60도, 냉수를 15도로 설정하여 30분 동안 물을  
흘려 보낸 후의 제품의 온도를 보여 줍니다.  
사용자의 몸과 가장 달기 쉬운 수전의 중심 부분의 온도  
가 뜨거워지지 않는 것을 확인할 수 있습니다.



## SAFETY THERMO

### Safe, reliable water temperature

#### TOTO의 수전은 온도의 변화에 즉시 대응합니다.

당신이 샤워를 하는 동안 가족 중 다른 사람이 물을 사용하여 샤워기에서  
흐르는 물의 온도가 갑자기 변하는 불편함을 경험한 적이 있을 것입니다.  
TOTO의 SAFETY THERMO는 형상기억합금(SMA) 코일을 이용하여 물의  
온도 변화에 즉시 반응함으로써 온도가 변하는 것을 막아 줍니다.

#### 6배 강한 온도제어기술


TOTO의 SMA코일은 물의 온도를 즉시 감지합니다. 기존의 왁스  
타입과 비교했을 때 뜨거운 물에 6배 빨리 반응합니다.  
(가정에서 사용 시)




#### That quality – only TOTO

물의 온도와 시간을 나타내는 그림입니다. 기존의 왁스  
타입은 눈에 띄게 큰 온도 변화가 있는 반면,  
SAFETY THERMO는 온도가 아주 작게 변화하면서  
비교적 꾸준히 유지되는 것을 알 수 있습니다.

#### Conventional



#### SAFETY THERMO



## MINI UNIT

### Small. Flexible.


#### 당신이 원하던 바로 그 디자인

매립수전은 욕실의 분위기를 더 세련되게 합니다.  
TOTO의 MINI UNIT기술을 통해 사용자는 더 자유롭게 제품을 선택  
할 수 있습니다. 공통 모듈을 사용하여, 어떤 플레이트라도 함께  
사용할 수 있도록 했습니다. 레버타입, 써머타입, 터치버튼타입 등  
당신의 필요에 따라 플레이트의 기능과 디자인만 선택하면 됩니다.



#### 설치를 더 쉽게, 더 가볍게

MINI UNIT의 가장 매력적인 특징은 설치 시 호환성이 높다는 것  
입니다. 업계에서 가장 작고 가벼운 매립 시스템을 실현함으로써  
설치 시 최소한의 공간만 사용하여 설치의 편리성을 높였습니다. 제품을 매립하기 위해서는 97mm두께의 벽이면 충분하며, 오차범위 ±13mm를  
커버합니다.



## COMFORT GLIDE

### Easy to use for a lifetime of comfort

편안함. TOTO에게 이것은 순간의 편안함을 말하는 것이 아닙니다.  
오래 사용하더라도 계속해서 편하게 사용할 수 있는 편안함. 이것을  
위해 TOTO는 사용자의 느낌을 바탕으로 수전 내부의 밸브를 개발  
했습니다.



#### 오래도록 지속되는 부드러운 사용을 위한 특수 코팅

코어 밸브를 구성하는 세라믹 디스크에 DLC코팅(Diamond Like Carbon) 처리를 했습니다. 이는 윤활유를 쓰는 기존 밸브보다  
품질이 오래 지속되도록 합니다.

#### 정밀한 유량 조절, TOTO만의 독자적 기술

우리는 밸브의 핵심 구성요소에 세라믹 디스크를 적용하고, 사용이 쉽게 만들어주는 모양으로 제작했습니다. 이는 기존의 수전과 비교하여 유량 조절을 더 쉽고 세밀하게  
조절할 수 있도록 만들어줍니다. 필요한 물의 양을 즉시 알맞게 조절할 수 있기 때문에 절수에도 도움이 됩니다.

## NEOREST NX COLLECTIONS

What is the most beautiful intelligent toilet?

### NEOREST NX



### NEOREST NX

CS900VK(Silver) / CS900KVK(Brushed Nickel)

Flush System : Tornado (3.8L/2.8L)  
Hybrid Ecology System

Rough-in : 305mm

Size : W468×D800×H565mm

### Remote Control



# NEOREST NX COLLECTIONS

## SEAMLESS DESIGN

It look like it was like returning to the origin of pottery.  
Beautiful pleasures that do not feel it while carrying all functions.



Even seen from behind, it is beautiful.



## SEAMLESS DESIGN



## RIMLESS DESIGN

### Conventional



### New





**Every moment of every day,  
enjoy the cleanliness and comforts of  
Life Anew.**

Constantly at work, automated technologies keep surfaces hygienic and maintain a place that is inviting and comfortable to use.

#### Cycle of Cleanliness and Comfort





Your toilet reappears clean  
anew every time.



CEFIONTECT



EWATER+

TOTO TOILET TECHNOLOGIES :  
**CLEAN SYNERGY**



TORNADO FLUSH

## NEOREST EX




## NEOREST EX

## CES992WK


Flush System : Tornado (3.8L / 3L)  
Hybrid Ecology System

Rough-in : 305mm

Size : W 448 × D 800 × H 527 mm



Remote Control ▾



NEOREST

## NEOREST AH



## NEOREST AH

CES9787WK(Floor type) / CES9787WKP(Wall type)

Flush System : Tornado (3.8L/3L)  
Hybrid Ecology System

Rough-in : 305mm

Size : W389×D695×H535 mm

Remote Control ▾



TOTO  
GREEN  
CHALLENGE



# NEOREST NX COLLECTIONS

## FLOTATION TUB



## FLOTATION TUB

### PJYD2200PWE#GW

W2200 × D1050 × H780mm

Weight : 140kg

Full capacity : 293L

Color : White


Material : Tub—Galaline, Pillow—FRP covered with silicon



**ZERO DIMENSION**

Afloat, calm,  
immersed in the meditative moment of relaxation

우주에서 쉬고있는 우주 비행사의 자세 ZERO DIMENSION 입욕은 중력으로부터의 자유를 가지고있고, 관절의 스트레스를 풀어 완벽한 휴식을 제공합니다.  
연구에 따르면 ZERO DIMENSION 입욕자세는 언어기능을 수용하는 뇌의 활동을 감소시켜, 몸을 차분하고 편안한 상태로 만들어줍니다.



### HYDROHANDS

HYDROHANDS의 역동적인 물 마사지는 근육의 긴장을 풀어줍니다.  
강력하고 끊임없이 움직이는 물줄기는 마치 전문가의 마사지를 받는 듯한  
자극을 줍니다. 공기 방울이 없고 소음이 없는 HYDROHANDS는  
편안한 휴식을 제공합니다.

Different from a jet bath  
HYDROHANDS는 소음과 공기방울이 없는  
강력한 물줄기로, 묵직한 터치감을 제공합니다.



HYDROHANDS is especially effective  
in a Flotation Tub.

몸과 마음을 명상의 상태로 만들어 주는  
Zero Dimension 위치에서 HYDROHANDS의  
마사지는 더 깊은 휴식을 제공합니다.



HYDROHANDS는 발 마사지에도 적용됩니다.






**NECK BATH**  
HYDORHANDS는 소음과 공기방울이 없는  
강력한 물줄기로, 묵직한 터치감을  
제공합니다.



**AIR JET**  
아래에서 올라오는 역동적인 공기방울이  
몸을 부드럽게 감싸줍니다.



**GALALINE MATERIAL**  
탁월한 내구성을 자랑하는 욕조는  
GALALINE 인조 대리석으로 만들어졌으며,  
TOTO의 혁신적인 공법으로 제작되었습니다.



#### CONTROLLER

정전기식 컨트롤러는 가벼운 터치로도  
작동합니다.



## SOFT FLOW

From the graceful  
design comes a touch  
of water most gentle.



## LINEARCERAM

Exquisitely thin  
is the next dimension of beauty.

## NEOREST NX COLLECTIONS



### AUTO FAUCET

TLP01701K#PC + TLP01702K (Chrome)

TLP01701K#BN + TLP01702K (Brushed Nickel)

Size : W58×D189×H236mm

Material : Brass

Color : Chrome / Brushed Nickel

Technology : Soft Flow, Safety Thermo



#### More than clean, beautiful

SOFT FLOW의 반투명 물줄기는 우아한 아름다움이 있습니다.



#### Splash-free handwashing

물이 손바닥을 완전히 감싸고 있더라도 물방울이 거의 뿌지 않습니다.



#### Hands-free operation

SOFT FLOW는 스파우트의 개폐 및 온냉수 전환을 위한 두개의 센서가 장착되어 있습니다. 사용자는 센서로 손을 가까이 가져가기만 하면 됩니다.

LINEARCERAM's thin design harmonizes with any space. Although eye-catching thin, it is also extremely strong. Sophisticated and inviting to use, LINEARCERAM is a new paradigm in bathroom aesthetics.


정교하고 얇은 두께의 세면기를 만들기 위해 TOTO는 고유의 고급 세라믹을 개발했습니다.



LINEARCERAM의 가장 얇은 부분은 일반 세면기 약 절반정도의 두께입니다. 하지만 세면기의 강도는 일반 세면기의 약 두 배가 됩니다.

### CEFIONTECT

LINEARCERAM은 TOTO의 특수 유약 처리기술인 CEFIONTECT 기술이 적용되어 있습니다. 특수 유약 처리를 통해 오염물의 부착을 방지하여 장기간 사용시에도 뛰어난 내구성을 제공합니다.



### L4724E

Size : W400×D260×H80mm

### L4706E

Size : W600×D420×H90mm

Material : Ceramic(incl. pop-up cover)

Technology : – LinearCeram  
– Cefiontect



### L4715E

Size : W500×D380×H70mm

### L4716E

Size : W600×D380×H70mm

Material : Ceramic(incl. pop-up cover)

Technology : – LinearCeram  
– Cefiontect



## NEOREST



### STANDING BATH FAUCET

**TBP01301B#PC + TBN01105B** (Chrome)  
**TBP01301B#BN + TBN01105B** (Brushed Nickel)

Material : Brass

Color : Chrome / Brushed Nickel  
 W66×D376×H912mm




**YH63SD**  
 Paper Holder(Stand Type)  
 W290 × D260 × H830mm



**YH87S**  
 Paper Holder  
 W290 × D108 × H26mm



**YA87S**  
 Robe Hook  
 W36 × D60 × H36mm



**YT87S5S**  
 Towel Bar  
 W500 × D75 × H26mm



**YT87S7S**  
 Towel Bar  
 W700 × D108 × H26mm

## RENESENSE



### TMC95V101R

Thermostatic Shower Tower  
 W260 × D604 × H1375mm



### TMX95A

Shower Bar

TOTO  
GREEN  
CHALLENGE



### TMX40ACCR

Thermostatic faucet  
 for Shower & Bath



### ① TBX18A2

Fixed Shower Head

### ② TBX18A1

Fixed Shower Head

### ③ TBX19A1

Hand Shower Set

### ④ TBX1A

Bath Spout

### ⑤ TBX6A

Diverter

### ⑥ TBX43A

Thermostat Controller

### ⑦ TBX9A

Stop Valve

### TOTO GREEN CHALLENGE

Water  
Temperature  
Control



### DM365CAF

Freestanding Bathtub Mixer

TOTO  
GREEN  
CHALLENGE



### TBX20A

Bath Filler Set



WASHLET is registered trademark of TOTO LTD.




### CES9433K

**Flush System :** Tornado(4.5/3L)  
**Bowl Shape :** Elongated  
**Rough-in :** 305mm  
**Size :** W391×D728×H684mm



### CES9433P

**Flush System :** Tornado(4.5/3L)  
**Bowl Shape :** Elongated  
**Rough-in :** 180mm(P-Trap)  
**Size :** W391×D728×H684mm





**TCF4911EK(Hidden Type)  
TCF4911K**

Bowl Shape : Elongated  
W383×D532×H125mm



**TCF6531K**

Bowl Shape : Elongated  
W391×D531×H188mm



**TCF6631K**

Bowl Shape : Elongated  
W480×D531×H188mm



# TOILETS

AS A LEADING BATHROOM BRAND, TOTO REPRESENTS THE NEXT GENERATION OF BATHROOM PRODUCTS ESPECIALLY THE TOILETS. WE ARE THE DRIVING FORCE BEHIND INNOVATIONS DEDICATED TO BRING LEVELS OF HYGIENE, SUSTAINABILITY AND WELLNESS TO GREATER HEIGHTS, BE IT ON A PERSONAL OR ENVIRONMENTAL BASIS.

## ONE PIECE TOILET


**C636DE**

Flush System : Tornado(4.8L/3L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W490×D740×H670mm


**CW923GBT305**

Flush System : Tornado(4.8L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W510×D720×H665mm


**C904E**

Flush System : Siphon-Jet(6L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W540×D750×H595mm


**C366E**

Flush System : Tornado Siphon-Jet(6L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W540×D720×H655mm


**C436N**

Flush System : Siphon-Vortex(6L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W500×D740×H520mm

**C884E**

Flush System : Siphon-Jet(6L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W420×D710×H605mm


**C905E**

Flush System : Tornado Siphon-Jet(4.8L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W420×D720×H730mm


**C914E**

Flush System : Siphon-Jet(6L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W450×D710×H635mm



## CLOSE COUPLED TOILET


**CW804RBT305 + SWN804RB**

Flush System : Siphon-Jet(4.8L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W420×D750×H764mm


**CW804PB + SWN804B**

Flush System : Siphon-Jet(6L)  
Bowl Shape : Elongated  
Rough-in : 100±10mm(P-Trap)  
W420×D750×H764mm


**CW764RBT305 + SW764GB**

Flush System : Siphon-Jet(4.8L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W480×D702×H734mm


**CS330B + SH332BA**

Flush System : Tornado(4.8/3.6L)  
Bowl Shape : Elongated  
Rough-in : 200mm  
W418×D760×H817mm


**C818E + S818DE**

Flush System : Siphon(4.8/3L)  
Bowl Shape : Elongated  
Rough-in : 305mm  
W377×D695×H800mm



## WALL HUNG


**CW941K**

Flush System : Wash Down(6/3L)  
Bowl Shape : Elongated  
Rough-in : 220mm(P-Trap)  
W360×D530mm


**CW822NJWS**

Flush System : Wash Down(4.5/3L)  
Bowl Shape : Elongated  
Rough-in : 220mm(P-Trap)  
W365×D545mm




# LAVATORIES

BEAUTY IN THE BASIC FORM OF SIMPLICITY. USER-FRIENDLY CONCEPT WITH HIGH FUNCTIONALITY. WATER-SAVING PROPERTIES THAT ATTRIBUTE TO EARTH-FRIENDLY MATERIALS. THESE ARE THE PRINCIPLES UNDERLYING OUR LAVATORY DESIGNS.


## LUMINIST



**MR710CB11** (Crystal Snow)  
**MR710CB71** (Crystal Green)  
W500×D320×H90mm



**MR700CB11** (Crystal Snow)  
**MR700CB71** (Crystal Green)  
Ø400W×90H mm



## GALALINE



**PJS01W** (#GW/MW)  
(Gross White/Matte White)  
W632×D404×H154mm



**PJS02W** (#GW/MW)  
(Gross White/Matte White)  
W600×D400×H120mm



**PJS03W** (#GW/MW)  
(Gross White/Matte White)  
W600×D400×H120mm



**PJS04W** (#GW/MW)  
(Gross White/Matte White)  
Ø450W×160H mm



**PJS04W** (#MGI)  
(Sand Yellow)  
Ø450W×160H mm



**PJS04W** (#MGB)  
(Obsidian black)  
Ø450W×160H mm

## Console Lavatory



**LS911CR**  
W600×D450×H70mm




**L5615CE**  
W500×D460×H70mm

**L5615E**  
3 Tap holes(8in. Faucet)



**LW950CJ**  
W505×D455×H100mm

**LW951CJ**  
W605×D455×H100mm



**LW640NCJ**  
W505×D505×H155mm

**LW640NJ**  
3 Tap holes(8in. Faucet)



**LW1714B**  
W400×D400×H60mm



**L5715E**  
W500×D380×H70mm

**L5716E**  
W600×D380×H70mm



**LS722C**  
W500×D450×H70mm

**LS721C**  
W380×D380×H70mm



**L5616CE**  
W600×D460×H70mm

**L5616E**  
3 Tap holes(8in. Faucet)




**LW649CJ**  
W500×D440×H85mm

3 Tap holes(8in. Faucet)




**LW1715B**  
W500×D370×H60mm




**LW952J**  
W570×D355×H100mm

**LW953J**  
W705×D355×H100mm



**LW1615CB**  
W500×D460×H70mm

**LW1615B**  
3 Tap holes(8in. Faucet)



**L710CTRE**  
W500×D450×H135mm



**LW649CJ**  
W500×D440×H85mm



**LW1716B**  
W600×D385×H65mm



**LW643J**  
W584×D384×H100mm

## Semi Recessed Lavatory



LW713CB

W600×D500mm

LW713B

3 Tap holes(8in, Faucet)



LW717RCB

W500×D450mm

LW717RB

3 Tap holes(8in, Faucet)



LW647CJ

W520×D420mm

LW647J

3 Tap holes(8in, Faucet)



LW642CJ

W415×D485mm

LW642J

3 Tap holes(8in, Faucet)



LW641NCJ

W505×D505mm

LW641NJ

3 Tap holes  
(8in, Faucet)

LW646J

W600×D400mm



LW983CB

W550×D430mm

LW642J

3 Tap holes(8in, Faucet)



LW533J

Ø430 mm



LW829CJ

W580×D480mm

## Under Counter Lavatory



LW1514B

W470×D470mm



LW1515B

W570×D430mm



LW1516B

W670×D450mm



LW2506B

W626×D446mm



LW2516B

W626×D446mm



LW596RB

W550×D370mm

# FITTINGS



**L620**  
W646×D421mm



TOTO  
GREEN  
CHALLENGE



**L520E**  
W604×D365mm



TOTO  
GREEN  
CHALLENGE



**LW540J**  
W590×D415mm



**LHT766CRV**  
Half Pedestal Lavatory

**LPT766CV**  
Pedestal Lavatory  
W510×D520mm



**LHT767CRV**  
Half Pedestal Lavatory

**LPT767CV**  
Pedestal Lavatory  
W510×D515mm



**LHT947CSV**  
Half Pedestal Lavatory

**LPT947CSV**  
Pedestal Lavatory  
W600×D500mm



**LHT236CSV**  
Half Pedestal Lavatory

**LPT236CSV**  
Pedestal Lavatory  
W530×D465mm



**LW241CJ + LW242HFJ**  
Half Pedestal Lavatory

**LW241CJ + LW239FJ**  
Pedestal Lavatory  
W580×D500mm



**LW898CJ**  
Half Pedestal Lavatory  
W455×D430×H330mm

**LW898J**  
3 Tap holes(8in. Faucet)

FEEL THE SOOTHING EFFECTS OF WATER THROUGH TOTO SHOWERS AND FAUCETS.EQUIPPED WITH THE MOST INTRINSIC PRINCIPLES OF R&D, THESE FITTINGS WILL BRING TO YOU A TRANSFORMATIVE EXPERIENCE.

## ZL series



**TLP02301K**  
Lavatory Faucet with pop-up waste



**TLP02304K**  
Extended Lavatory Faucet  
with pop-up waste  
Height : 163mm



**TLP02307K**  
Extended Lavatory Faucet  
with pop-up waste  
Height : 213mm



**TLP02201K**  
2 handle Lavatory Faucet  
with pop-up waste



**TLP02309K / TLP02310K**  
Wall mounted Lavatory Faucet without fitting  
Spout Length : 175/225mm



**TBP02302B+TBN01001B**  
Single Lever Shower Mixer  
W/Diverter & Concealed Box



TOTO  
GREEN  
CHALLENGE



TOTO  
GREEN  
CHALLENGE

## GO series



**TLG01301K**  
Lavatory Faucet with  
pop-up waste



**TLG01304K**  
Extended Lavatory Faucet  
with pop-up waste  
Height : 176mm



**TLG01309K**

Side handle Lavatory  
Faucet  
Height : 227.6mm



**TLG01310K / TLG01311K**

Wall mounted Lavatory Faucet  
without fitting  
Spout Length : 175.4/227.5 mm



**TLG01201K**

2 handle Lavatory Faucet  
with pop-up waste



**TBG01301B**  
Exposed Single Lever  
Shower Mixer



**TBG01302B**  
Exposed Single Lever  
Bath & Shower Mixer



**TBG01304B + TBN01001B**  
Single Lever Shower Mixer  
W/Diverter & Concealed Box



**TBG01305B**  
3 Hole Bath & Shower set



**TBG01202B**  
4 Hole Bath & Shower Set



TOTO  
GREEN  
CHALLENGE




TOTO  
GREEN  
CHALLENGE

**GR series****TLG02301K**

Lavatory Faucet with pop-up waste

**TLG02304K**

Extended Lavatory Faucet with pop-up waste

**TLG02309K**Side handle Lavatory Faucet  
Height : 152 mm**TLG02310K / TLG02311K**Wall mounted Lavatory Faucet without fitting  
Spout Length : 175.6/225.5 mm**TLG02201K**

2 handle Lavatory Faucet with pop-up waste

**TBG02301B**

Exposed Single Lever Shower Mixer

**TBG02302B**

Exposed Single Lever Bath &amp; Shower Mixer

**TBG02304B + TBN01001B**Single Lever Shower Mixer  
W/Diverter & Concealed Box**TBG02305B**3 Hole Bath & Shower set  
W/Diverter & Concealed Box**TBG02202B**

4 Hole Bath &amp; Shower Set

**GS series****TLG03301K**

Lavatory Faucet with pop-up waste

**TLG03303K**Extended Lavatory Faucet with pop-up waste  
Height : 160.8 mm**TLG03307K / TLG03308K**Wall mounted Lavatory Faucet without fitting  
Spout Length : 175.4/225.2 mm**TLG03201K**

2 handle Lavatory Faucet with pop-up waste

**TBG03301B**

Exposed Single Lever Shower Mixer

**TBG03302B**


Exposed Single Lever Bath &amp; Shower Mixer

**TBG03304B + TBN01001B**Single Lever Shower Mixer  
W/Diverter & Concealed Box**TBG03202B**

4 Hole Bath &amp; Shower Set

**GA series****TLG04301K**

Lavatory Faucet with pop-up waste

**TLG04304K**Extended Lavatory Faucet with pop-up waste  
Height : 154mm**TLG04309K / TLG04310K**Wall mounted Lavatory Faucet without fitting  
Spout Length : 175.7/225.4mm**TLG04201K**



2 handle Lavatory Faucet with pop-up waste

**TBG04202B**

4 Hole Bath &amp; Shower Set

**LC series****TLS03301K**


Lavatory Faucet with pop-up waste

**TLS03303K**Extended Lavatory Faucet with pop-up waste  
Height : 193 mm**TBS03301B**



Exposed Single Lever Shower Mixer

**TBS03302B**

Exposed Single Lever Bath &amp; Shower Mixer

**TBS03304B**Single Lever Shower Mixer  
W/Diverter & Valve cartridge**LF series****TLS04301K**



Lavatory Faucet with pop-up waste

**TLS04304K**Extended Lavatory Faucet with pop-up waste  
Height : 193 mm**TBS04301B**

Exposed Single Lever Shower Mixer

**TBS04302B**

Exposed Single Lever Bath &amp; Shower Mixer

**TBS04304B**Single Lever Shower Mixer  
W/Diverter & Valve cartridge

## Shower Options



**TBW01003B**  
Fixed Shower Head  
(1Mode)  
Ø220 mm



**TBW01004B**  
Fixed Shower Head  
(2Mode)  
Ø220 mm



**TBW02003B**  
Fixed Shower Head  
(1Mode)  
W210×D210mm



**TBW02004B**  
Fixed Shower Head  
(2Mode)  
W210×D210mm



**TX488SZ**  
Fixed Shower Head  
Ø250 mm



**TX488SLZ**  
Fixed Shower Head  
Ø250 mm



**TX488SMZ**  
Fixed Shower Head  
Ø300 mm



**TX488SQN**  
Fixed Shower Head  
W220×D340mm  
(Oval Shape)



**TX488SIZ**  
Fixed Shower Head  
W300×D300mm



**TX488ST**  
Fixed Shower Head  
W250×D250mm



**TBW01012B**  
Fixed Shower Head  
(1Mode)  
Ø102 mm



**TBW01013B**  
Fixed Shower Head  
(Multi)  
Ø102 mm



**TX491SN**  
Fixed Shower Head  
(Ceiling Type)  
Ø250 mm



**TX475SEZ**  
Fixed Shower Head  
(Ceiling Type)  
Ø180 mm



**TX491SQN**  
Fixed Shower Head  
(Ceiling Type)  
Ø180 mm



**TX491SMZ**  
Fixed Shower Head  
(Ceiling Type)  
W220×D340mm  
(Oval Shape)



**TX491SIZ**  
Fixed Shower Head  
(Ceiling Type)  
Ø300 mm



**TX491ST**  
Fixed Shower Head  
(Ceiling Type)  
W300×D300mm



**TBV01408B/TBN01001B**  
Thermostat Shower Mixer  
W/Diverter & Concealed Box



**TBV02404B/TBN01001B**  
Thermostat Shower Mixer  
W/Diverter & Concealed Box



**TBV02406B/TBN01001B**  
Thermostat Shower Mixer  
W/Diverter(Touch Type) & Concealed Box



**TBW01008B**  
Hand Shower  
(1mode)



**TBW01010B**  
Hand Shower  
(3mode)



**TBW02005B**  
Hand Shower  
(1mode)



**TBW02006B**  
Hand Shower  
(3mode)



**TBW01017B**  
(Round, 1mode)



**TBW01018B**  
(Round, Multi)



**TBW03002B**  
(Classical, Multi)



**DM709CAF**  
Hand Shower



**DM710CAFR**  
Hand Shower



**DM715CMF**  
Hand Shower



**DM716CMF**  
Hand Shower



**DBX124CAF**  
Hand Shower Set



**DB200CAF**  
Hand Shower Set



**DB193CMFR**  
Hand Shower Set



**DBX108CMF**  
Hand Shower Set



**TBW01014B**  
Wall Outlet



**TX721AESN**  
Sliding Rail  
L: 523mm



**DS740R**  
Sliding Rail  
L: 580mm



**TBW01016B**  
Sliding Rail  
L: 600mm



**TBW02011B**  
Sliding Rail  
L: 900mm



**TBW02013B**  
Wall Outlet

TECHNOLOGY

SERIES

WASHLET

TOILETS

LAVATORIES

Faucets

BATHTUBS

ACCESSORIES


PUBLIC

INDEX

## Standing Bathtub Faucet



## Shower Bar



TECHNOLOGY

시리즈  
SERIES

비데  
WASHLET

양변기  
TOILETS

세면기  
LAVATORIES

수전  
FAUCETS

욕조  
BATHTUBS

액세서리  
ACCESSORIES

퍼블릭  
PUBLIC

색인  
INDEX

## BATHTUBS

RELAX YOUR BODY AND UNWIND YOUR MIND BY DIPPING INTO A BATH OF LUXURY EVERY DAY. TAKING A BATH IS NO LONGER JUST ABOUT CLEANSING YOUR PHYSICAL SHELL. SOAK YOURSELF IN EXTREME COMFORT AND FIND YOUR WAY TO YOUR INNER PEACE WHILE WE PROVIDE THE PLATFORM OF YOUR FINEST CHOICE TO MAKE YOUR VERY OWN SANCTUARY.

### GALALINE



**PJY1886HPWMN(SILVER)**  
**PJY1886HPWMG(GOLD)**  
Capacity : 307L  
W1800×D950×H600mm



**PJY1814PW/HPW**  
Capacity : 375L  
W1800×D900×H665mm



**PJY1704PW/HPW**  
Capacity : 335L  
W1700×D800×H585mm



**PJY1804PW/HPW**  
Capacity : 400L  
W1800×D850×H585mm



**PJY1714PW/HPW**  
Capacity : 275L  
W1700×D850×H580mm



## Enameled Cast Iron Bathtubs



**FBY1756PWN(SILVER)**  
**FBY1756PWG(GOLD)**  
Capacity : 237L  
W1750×D850×H735mm



**FBYN1826CPW**  
Capacity : 220L  
W1800×D800×H577mm



**FBYN1816DPW/DHPW**  
Capacity : 210L  
W1800×D800×H537mm

**FBYN1716DPW/DHPW**  
Capacity : 187L  
W1700×D750×H537mm



**FBYN1816CPW/CHPW**  
Capacity : 210L  
1800W×800D×537H mm

**FBYN1716CPW/CHPW**  
Capacity : 187L  
W1700×D750×H537mm



**FBYN1810CP/CHP**  
Capacity : 172L  
W1800×D800×H470mm

**FBYN1710P/CHP**  
Capacity : 185L  
W1700×D750×H470mm



**FBY1760CP/CHP**  
Capacity : 245L  
W1720×D900×H530mm



**FBYN1800P/HP**  
Capacity : 210L  
W1800×D800×H500mm

**FBYN1700P/HP**  
Capacity : 187L  
W1700×D750×H500mm



**FBYN1810NP/NHP**  
Capacity : 210L  
W1800×D800×H470mm

**FBYN1710NP/NHP**  
Capacity : 187L  
W1700×D750×H470mm



**FBYN1600P/HP**  
Capacity : 150L  
W1600×D750×H480mm

**FBYN1500P/HP**  
Capacity : 150L  
W1500×D750×H480mm



**FBYN1610P/HP**  
Capacity : 150L  
W1600×D750×H480mm

**FBYN1510P/HP**  
Capacity : 147L  
W1500×D750×H480mm



**FBY1740P/HP**  
Capacity : 170L  
W1700×D700×H430mm



**FBY1720NP/NHP**  
Capacity : 201L  
W1700×D750×H490mm  
**FBY1530NP/NHP**  
Capacity : 170L  
W1500×D750×H490mm



**PAY1796HPW**  
Rimless  
Capacity : 256L  
W1700×D800×H560mm



**PAY1300P**  
Capacity : 255L  
W1300×D1300×H540mm



**FBY1600P/HP**  
Capacity : 205L  
W1600×D750×H465mm  
**FBY1520P/HP**  
Capacity : 195L  
W1517×D750×H465mm



**FBY1700P/HP**  
Capacity : 235L  
W1676×D813×H465mm



**PAY1810HPW**  
Capacity : 286L  
W1800×D850×H580mm



**PAY1700P**  
Capacity : 236L  
W1700×D800×H530mm  
**PAY1600P**  
Capacity : 226L  
W1600×D800×H530mm



**FBY1400P**  
Capacity : 167L  
W1400×D730×H453mm



**FBY1380P**  
Capacity : 218L  
W1300×D750×H610mm



**PAY1760P/HP**  
Capacity : 290L  
W1703×D753×H605mm  
**PAY1560P/HP**  
Capacity : 240L  
W1503×D753×H605mm



**PAY1750P/HP**  
Capacity : 157L  
W1700×D800×H555mm  
**PAY1550P/HP**  
Capacity : 120L  
W1500×D750×H555mm

## Acrylic Bathubs



**Whirlpool Massage Bathtub**

**PAYK1750ZL/RP**  
**PAYK1750ZL/RHPE**  
Capacity : 247L  
W1700×D800×H565mm



**PAYK1650ZL/RP**  
**PAYK1650ZL/RHPE**  
Capacity : 228L  
W1800×D850×H565mm



**PAY1786CHPW**  
Rimless  
Capacity : 209L  
W1700×D800×H560mm



**PAY1816HPW**  
Capacity : 300L  
W1800×D850×H600mm



**PAY1720P/HP**  
Capacity : 232L  
W1700×D800×H575mm  
**PAY1530P/HP**  
Capacity : 190L  
W1500×D800×H575mm



**PAY1580P/HP**  
Capacity : 176L  
W1500×D750×H530mm



**PAY1520P**  
Capacity : 155L  
W1500×D750×H470mm



**PAY1320P**  
Capacity : 155L  
W1350×D750×H470mm

## ACCESSORIES/OTHERS



**YH902**  
Paper holder  
W151×D90×H75mm



**YTT902**  
Towel ring  
W211×D53×H50mm



**YT902S4**  
Towel bar  
W478×D44×H25mm



**YTS902B**  
Towel shelf  
W636×D200×H69mm



**YRH902**  
Hook  
W25×D44×H68mm



**YH903**  
Paper holder  
W148×D106×H58mm



**YTT903**  
Towel ring  
W200×D47×H74mm



**YT903S4**  
Towel bar  
W474×D60×H29mm



**YTS903B**  
Towel shelf  
W628×D201×H100mm



**YRH903**  
Hook  
W24×D45×H69mm




**YH406RC**  
Paper holder  
W165×D126×H98mm



**YTT406C**  
Towel ring  
W154×D55×H170mm



**YT406S4RC**  
Towel bar  
W440×D55×H40mm



**YTS406BC**  
Towel shelf  
W600×D200×H115mm



**YRH406C**  
Hook  
W40×D55×H48mm



**YH408RC**  
Paper holder  
W165×D126×H98mm



**YTT408C**  
Towel ring  
W229×D55×H115mm




**YT408S4RC**  
Towel bar  
W440×D55×H40mm



**YTS408BC**  
Towel shelf  
W600×D200×H115mm



**YRH408C**  
Hook  
W40×D55×H49mm



**DSP43N**  
Paper holder  
W221×D73×H103mm



**DSP43N1**  
Paper bar  
W36×D61×H160mm



**DSB43S**  
Towel bar  
W352×D61×H36mm



**DSB43**  
Towel bar  
W662×D61×H36mm



**DSB43L**  
Towel bar  
W952×D61×H36mm



**DST43**  
Towel Shelf  
W615×D226×H97mm



**DSH43**  
Hook  
W17×D30×H41mm




**DSD43**  
Soap holder  
W139×D113×H54mm



**DSC43**  
Tumbler holder  
W93×D110×H113mm



**DSS43**  
Soap Dispenser  
W93×D121×H177mm



**YH63GWS**  
Paper holder  
W360×D120×H113mm



**YH63R**  
Paper holder  
W290×D110×H79mm



**YH150RS/LS**  
Paper holder  
W300×D137×H136mm



**YH63SD**  
Paper holder  
W270×D260×H809mm



## URINAL



**USWN900B**  
Wall-mounted automatic one-piece urinal  
Flush Volume : 0.5L  
Power supply : DC  
W380×D420×H920mm



**USWN925B**  
Wall-mounted automatic one-piece urinal  
Flush Volume : 0.5L  
Power supply : DC  
W306×D400×H590mm



**UFS860CKS**  
Wall-mounted automatic one-piece urinal  
Flush Volume : 2L  
Power supply : DC  
W470×D360×H955mm



**UW811HJ**  
Wall Hung Urinal  
W325×D340×H560mm



**UT560V**  
Wall Hung Urinal  
W325×D340×H560mm



**UW103RHB**  
Wall Hung Urinal  
W337×D344×H550mm

**UW103RB**



**UWN180HB**  
Wall Hung Urinal  
W325×D356×H595mm



**UWN180VB**



**UWN557HB**  
Wall Hung Urinal  
W340×D340×H580mm



**UT904RV**  
Wall Hung Urinal  
W260×D345×H675mm



**UT904HRV**  
Standing Urinal  
W340×D360×H890mm



## URINAL



**DUE114UK**  
Concealed Urinal Sensor Flush Valve  
Flush Volume : 1.2~1.9L  
Power supply : DC  
W115×D115×H125mm



**DUE114UPK**  
Concealed Urinal Sensor Flush Valve  
Flush Volume : 1.2~1.9L  
Power supply : DC  
W130×D130×H125mm



**DUE110BK**  
Urinal Sensor Flush Valve  
Flush Volume : 1.2~1.9L  
Power supply : DC  
W46×D107×H150mm



**DUE110PBK**  
Urinal Sensor Flush Valve  
Flush Volume : 1.2~1.9L  
Power supply : DC  
W50×D107×H150mm



## SENSING FAUCET



**TEN22EW V400**  
Self-powered Thermostat Sensor Faucet



**TEN22AWR V400**  
Self-powered Thermostat Sensor Faucet



**TEN50AW V400**  
Self-powered Thermostat Sensor Faucet

## SOAP DISPENSER



**DSE101K**  
Automatic Soap Dispenser  
Power Supply : 4×1.5V D size batteries




**DS715R**  
Soap dispenser  
105mm-long spray nozzle

**DS715-1R**  
Soap dispenser  
160mm-long spray nozzle



## INDEX

C366E	44	FBY1826CPW	59	LW596RB	49	PJY1704PW/HPW	58	TBW03001B	54	TX488SMZ	54
C436N	44	FBYN1500P/HP	59	LW640NCJ	47	PJY1714PW/HPW	58	TBW03002B	55	TX488SQN	54
C636DE	44	FBYN1510P/HP	59	LW640NJ	47	PJY1804PW/HPW	58	TBX18A1	39	TX488ST	54
C818E + S818DE	45	FBYN1600P/HP	59	LW641NCJ	49	PJY1814PW/HPW	58	TBX18A2	39	TX488SZ	54
C884E	44	FBYN1610P/HP	59	LW641NJ	49	PJY1886HPWMG	58	TBX19A1	39	TX491SIZ	54
C904E	44	FBYN1700P/HP	59	LW642CJ	49	PJY1886HPWMN	58	TBX1A	39	TX491SMZ	54
C905E	45	FBYN1710CP/CHP	59	LW642J	49	PJYD2200PWE#GW	32	TBX20A	39	TX491SN	54
C914E	45	FBYN1710NP/NHP	59	LW643J	47	TBG01202B	52	TBX43A	39	TX491SQN	54
CES9433K	41	FBYN1716CPW/CHPW	59	LW646J	49	TBG01301B	52	TBX6A	39	TX491ST	54
CES9433P	41	FBYN1716DPW/DHPW	59	LW647CJ	49	TBG01302B	52	TBX9A	39	TX492SRRZ	57
CES9787P	31	FBYN1800P/HP	59	LW647J	49	TBG01304B + TBN01001B	52	TCF4911EK	42	TX492SRS	57
CES9787WK	31	FBYN1810CP/CHP	59	LW649CJ	47	TBG01305B	52	TCF4911K	42	TX721AESN	55
CES992WK	29	FBYN1810NP/NHP	59	LW713B	49	TBG01306B + TBN01105B	56	TCF6531K	43	UFS860CKS	64
CS330B+SH332BA	45	FBYN1816CPP/CHPW	59	LW713CB	49	TBG02202B	53	TCF6631K	43	USWN900B	64
CS900KV	21	FBYN1816DPP/DHPW	59	LW717RB	49	TBG02301B	53	TEN22AWR V400	65	USWN925B	64
CS900VK	21	L4706E	37	LW717RCB	49	TBG02302B	53	TEN22EW V400	65	UT560V	64
CW764RBT305 + SW764GB	45	L4715E	37	LW760LB	48	TBG02304B + TBN01001B	53	TEN50AW V400	65	UT904HRV	64
CW804PB + SWN804B	45	L4716E	37	LW813CJ	48	TBG02305B	53	TKN34PBN V400	57	UT904RV	64
CW804RBT305 + SWN804RB	45	L4724E	37	LW814CJ	48	TBG02306B + TBN01105B	56	TKN34PBTN V400	57	UW103RB	64
CW822NJWS	45	L520E	50	LW818J	48	TBG03202B	51	TLG01201K	52	UW103RHB	64
CW923GBT305	44	L5615CE	47	LW819J	48	TBG03301B	51	TLG01301K	52	UW811HJ	64
CW941K	45	L5615E	47	LW829CJ	49	TBG03302B	51	TLG01304K	52	UWN180HB	64
DB193CMFR	55	L5616CE	47	LW893CJ	48	TBG03304B + TBN01001B	51	TLG01309K	52	UWN180VB	64
DB200CAF	55	L5616E	47	LW895J	48	TBG04202B	52	TLG01310K	52	UWN508HB	64
DBX108CMF	55	L5715E	47	LW896J	48	TBG04301B	52	TLG01311K	52	UWN508VB	64
DBX109CMF	55	L5716E	47	LW898CJ	50	TBG04302B	52	TLG02201K	53	UWN557HB	64
DBX124CAF	55	L620	50	LW898J	50	TBG04304B + TBN01001B	52	TLG02301K	53	UWN557SB	64
DM334CFS	56	L710CTRE	47	LW950CJ	47	TBP01301B#BN + TBN01105B	38	TLG02304K	53	YA87S	38
DM359CF	56	LHT236CSV	50	LW951CJ	47	TBP01301B#PC + TBN01105B	38	TLG02309K	53	YH150RS/LS	63
DM365CAF	39, 56	LHT766CRV	50	LW952J	47	TBP02202B	51	TLG02310K	53	YH406RC	62
DM709CAF	55	LHT767CRV	50	LW953J	47	TBP02302B + TBN01001B	51	TLG02311K	53	YH408RC	62
DM710CAFR	55	LHT947CSV	50	LW983B	49	TBP02303B + TBN01105B	56	TLG03021K	51	YH63GWS	63
DM715CMF	55	LPT236CSV	50	LW983CB	49	TBS03301B	53	TLG03301K	51	YH63R	63
DM716CMF	55	LPT766CV	50	MR700CB11	46	TBS03302B	53	TLG03303K	51	YH63SD	38, 63
DS715-1R	65	LPT767CV	50	MR700CB71	46	TBS03304B	53	TLG03307K	51	YH87S	38
DS715R	65	LPT947CSV	50	MR710CB11	46	TBS04301B	53	TLG03308K	51	YH902	62
DS740R	55	LS721C	47	MR710CB71	46	TBS04302B	53	TLG04201K	52	YH903	62
DSB43	63	LS722C	47	PAY1300P	60	TBS04304B	53	TLG04301K	52	YRH406C	62
DSB43L	63	LS911CR	47	PAY1320P	61	TBV01408B + TBN01001B	54	TLG04304K	52	YRH408C	62
DSB43S	63	LW1233B	48	PAY1520P	61	TBV02404B + TBN01001B	54	TLG04309K	52	YRH902	62
DSC43	63	LW1514B	49	PAY1530P/HP	61	TBV02406B + TBN01001B	54	TLG04310K	52	YRH903	62
DSD43	63	LW1515B	49	PAY1550P/HP	61	TBW01002B	57	TLP01701K#BN + TLP01702K	36	YT406S4RC	62
DSE101K	65	LW1516B	49	PAY1560P/HP	61	TBW01003B	54	TLP01701K#PC + TLP01702K	36	YT406S6RC	62
DSH43	63	LW1615B	47	PAY1580P/HP	61	TBW01004B	54	TLP02201K	51	YT408S4RC	62
DSP43N	63	LW1615CB	47	PAY1600P	61	TBW01008B	55	TLP02301K	51	YT408S6RC	62
DSP43N1	63	LW1704B	48	PAY1700P	61	TBW01010B	55	TLP02304K	51	YT87S5S	38
DSS43	63	LW1714B	47	PAY1720P/HP	61	TBW01012B	54	TLP02307K	51	YT87S7S	38
DST43	63	LW1715B	47	PAY1750P/HP	61	TBW01013B	54	TLP02309K	51	YT902S4	62
DUE110BK	65	LW1716B	47	PAY1760P/HP	61	TBW01014B	55	TLP02310K	51	YT902S6	62
DUE110PBK	65	LW1723B	48	PAY1786CHPW	60	TBW01015B	55	TLS03301K	53	YT903S4	62
DUE114UK	65	LW241CJ + LW242FJ	50	PAY1796HPW	61	TBW01016B	55	TLS03303K	53	YT903S6	62
DUE114UPK	65	LW241CJ + LW242HFJ	50	PAY1810HPW	61	TBW01017B	55	TLS04301K	53	YTS406BC	62
FBY1380P	60	LW241J	50	PAY1816HPW	61	TBW01018B	55	TLS04304K	53	YTS408BC	62
FBY1400P	60	LW2506B	49	PAYK1650ZL/RHPE	60	TBW01301B	57	TMC95ECR	56	YTS902B	62
FBY1520P/HP	60	LW2516B	49	PAYK1650ZL/RP	60	TBW01404B	57	TMC95V101R	38, 56	YTS903B	62
FBY1530NP/NHP	60	LW366RB	48	PAYK1750ZL/RHPE	60	TBW02002B	57	TMX40ACCR	39	YTT406C	62
FBY1600P/HP	60	LW387B	48	PAYK1750ZL/RP	60	TBW02003B	54	TMX95A	39, 56	YTT408C	62
FBY1700P/HP	60	LW516B	48	PJS01W(#GW/MW)	46	TBW02004B	54	TX454SESZ	57	YTT902	62
FBY1720NP/NHP	60	LW523NJ	48	PJS02W(#GW/MW)	46	TBW02005B	55	TX454SFN	57	YTT903	62
FBY1740P/HP	60	LW533J	49	PJS03W(#GW/MW)	46	TBW02006B	55	TX454SON	56		
FBY1756PWG	59	LW536CJ	48	PJS04W(#GW/MW)	46	TBW02011B	55	TX475SEZ	54		
FBY1756PWN	59	LW540J	50	PJS04W(#MGB)	46	TBW02012B	55	TX488SIZ	54		
FBY1760CP/CHP	59	LW573J	48	PJS04W(#MGI)	46	TBW02013B	55	TX488SLZ	54		



Life Anew

TOTO